

**Pre tube C6H6 - 0,25**

D050017301

Revision no.: 5.00

Revision date: 13.02.2017

Print date: 13.02.2017

Page 1 of 9

**0. General notes**

These products are articles according to article 3.3 of regulation (EC) no. 1907/2006 (REACH). It is not necessary to supply a Safety Data Sheet for these products. Safety Data Sheets stipulate according to Article 31 for hazardous substances and preparations, but not for articles. UNIPHOS is obliged to supply its customers with appropriate information to ensure safe handling. A special format is not required for this information.

**1. Identification of the substance/mixture and of the company/undertaking**

**Product identifier:** Pre tube C6H6 - 0,25  
**Relevant identified uses of the substance or mixture and uses advised against**  
**Use of the substance/mixture:** Pre-tube  
**Uses advised against:** The product is to be used exclusively for the applications named in the directions for use.

**Details of the supplier of the safety data sheet**

**Company name:** UNIPHOS ENVIROTRONIC PVT. LTD.  
**Street:** Readymoney Terrace 167, Dr. Annie Besant Road, Worli  
**Place:** Mumbai 400018, India  
**Telephone:** +91 22 61233500  
**Telefax:** +91 22 24978119  
**Emergency telephone:** +91 22 61233500

**Further Information:** Apply Safety data sheet to the following products:  
Part-No.  
5086653

**2. Hazards identification**

**Classification of the substance or mixture:** This mixture is not classified as dangerous according to Directive 1999/45/EC.  
As an article the product does not need to be labelled in accordance with EC-directives or respective national laws.

**Label elements**

**S phrases:**

02	Keep out of the reach of children.
26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
28	After contact with skin, wash immediately with plenty of water .
45	In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
46	If swallowed, seek medical advice immediately and show this container or label.

**Additional advice on labelling:** As an article the product does not need to be labelled in accordance with EC-directives or respective national laws.

**Pre tube C6H6 - 0,25**

D050017301

Revision no.: 5.00

Revision date: 13.02.2017

Print date: 13.02.2017

Page 2 of 9

**Other hazards:**

Detector tube: No hazards deemed to be of major importance.  
Content: May cause cancer. May cause heritable genetic damage. Harmful by inhalation. Causes severe burns. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**3. Composition/information on ingredients****Mixtures****Chemical characterization:**

Sealed glass tube, filled with inert granules, treated with sulphuric acid, chromiumtrioxide, selenium(IV)oxide

**Hazardous components**

EC No.	Chemical name	Quantity
CAS No.	Classification	
Index No.	GHS classification	
REACH No.		
231-639-5	Sulphuric acid	< 3 %
7664-93-9	C R35	
016-020-00-8	Skin Corr. 1A; H314	
231-194-7	Selenium dioxide	< 3 %
7446-08-4	T, N R23/25-33-50-53	
	Acute Tox. 3, Acute Tox. 3, STOT RE 2, Aquatic Chronic 1; H301 H331 H373 H410	
215-607-8	Chromium trioxide	0,25 - < 1 %
1333-82-0	O, Carc. Cat. 1, Muta. Cat. 2, Repr. Cat. 3, T+, T, C, N R9-45-46-62-26-24/25-48/23-35-42/43-50-53	
024-001-00-0	Ox. Sol. 1, Carc. 1A, Muta. 1B, Repr. 2, Acute Tox. 2, Acute Tox. 3, Acute Tox. 3, STOT RE 1, Skin Corr. 1A, Resp. Sens. 1, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 1; H271 H350 H340 H361f H330 H311 H301 H372 H314 H334 H317 H400 H410	

Full text of R- and H-phrases: see section 16.

**4. First aid measures****Description of first aid measures****After inhalation:**

Not applicable for intact detector tubes.  
When indicator material is spilled: Inhalation of vapours: Move to fresh air. If symptoms persist, call a physician.

**After contact with skin:**

Not applicable for intact detector tubes.  
When indicator material is spilled: Wash off immediately with plenty of water. Consult a physician. Cut be handled through a doctor.

**After contact with eyes:**

Not applicable for intact detector tubes.  
When indicator material is spilled: Rinse immediately with plenty of water, also under the eyelids. Consult an ophthalmologist immediately.

## Pre tube C6H6 - 0,25

D050017301

Revision no.: 5.00

Revision date: 13.02.2017

Print date: 13.02.2017

Page 3 of 9

### After ingestion:

Not applicable for intact detector tubes.

When indicator material is spilled: Call a physician immediately. If conscious, drink plenty of water.

## 5. Fire-fighting measures

### Extinguishing media

#### Suitable extinguishing media:

The product itself does not burn. Use extinguishing measures that are appropriate to the environment.

#### Extinguishing media which must not be used for safety reasons:

None.

#### Special hazards arising from the substance or mixture:

None.

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures: Methods and material for containment and cleaning up:

Release not possible if used properly.

When indicator material is spilled: Dilute with water. Soak up the product with absorbent, non-flammable material (acid binding agent). Avoid contact of breakage of glass and indicator material. Dispose of as described in section 13.

## 7. Handling and storage

### Precautions for safe handling

#### Advice on safe handling:

See the specific Instruction for use.

#### Advice on protection against fire and explosion:

No special precautions required.

### Conditions for safe storage, including any incompatibilities

#### Advice on storage compatibility:

Do not store together with edibles.

#### Further information on storage conditions:

See the specific Instruction for use. Recommended storage temperature: 20°C

## 8. Exposure controls/personal protection

### Control parameters

**Pre tube C6H6 - 0,25**

D050017301

Revision no.: 5.00

Revision date: 13.02.2017

Print date: 13.02.2017

Page 4 of 9

**Exposure limits (EH40 / OSHA PEL / ACGIH TLV)**

CAS No.	Chemical name	Category	mg/m <sup>3</sup>	Origin
	- Chromium (VI) compounds (as Cr)	TWA (8 h)	0.05	WEL / OSHA PEL/ ACGIH
		STEL (15 min)	-	WEL / OSHA PEL/ ACGIH
	Selenium and compounds, except hydrogen selenide (as Se)	TWA (8 h)	0.1	WEL OSHA PEL/ ACGIH
		STEL (15 min)	-	WEL / OSHA PEL/ ACGIH
7664-93-9	Sulphuric acid (mist)	TWA (8 h)	1	EU/ OSHA PEL/ ACGIH
		STEL (15 min)	-	ACGIH

**Additional advice on limit values:**

Release not possible if used properly.

**Exposure controls****Protective and hygiene measures:**

Avoid contact with eyes or skin after breaking of the tub tips.  
Avoid contact of breakage of glass and indicator material. Do not take up glass breads and content of the tube with bare hands. Wash hands before breaks and at the end of the workday.

**Respiratory protection:**

Not required.

**Hand protection:**

Not required.

When indicator material is spilled: Protective gloves made out of: Nitrile rubber

**Eye protection:**

Not required.

When indicator material is spilled: Safety glasses

**Skin protection:**

Not required.

**9. Physical and chemical properties****Information on basic physical and chemical properties****Physical state:**

Granules in a glass tube.

**Colour:**

brown and white

**Odour:**

irritating

pH-Value (at 20 °C):

1

**Test method**

50 g/l water

**Changes in the physical state**

Melting point:

n.a.

Boiling point:

n.a.

Flash point:

n.a.

Lower explosion limits:

n.a.

Upper explosion limits:

n.a.

Vapour pressure:

n.a.

Water solubility:  
(at 20 °C)

low solubility

Viscosity / dynamic:

n.a.

**Pre tube C6H6 - 0,25**

D050017301

Revision no.: 5.00

Revision date: 13.02.2017

Print date: 13.02.2017

Page 5 of 9

**10. Stability and reactivity**

<b>Reactivity:</b>	None if handled correctly in accordance with the instructions for use.
<b>Possibility of hazardous reactions:</b>	None under recommended use and storage conditions.
<b>Conditions to avoid:</b>	None if handled correctly in accordance with the instructions for use.
<b>Hazardous decomposition products:</b>	No decomposition if stored and applied as directed.
<b>Further information:</b>	After the opening of the tube: Sensitive to air (discolouration )

**11. Toxicological information**

<b>Information on toxicological effects</b>	
<b>Toxicocinetics, metabolism and distribution:</b>	Not applicable for intact detector tubes. When indicator material is spilled: No data available.
<b>Acute toxicity:</b>	Not applicable for intact detector tubes. When indicator material is spilled: No data available.

CAS No.	Chemical name			
	Exposure routes	Method	Dose	Species
7446-08-4	Selenium dioxide			
	Acute oral toxicity	LD50	68,1 mg/kg	rats
1333-82-0	Chromium trioxide			
	Acute oral toxicity	LD50	50 mg/kg	rats
	Acute dermal toxicity	LD50	55 mg/kg	rats

<b>Irritation and corrosivity:</b>	Not applicable for intact detector tubes. In the formation of vapours: Vapours may be irritating to eyes, nose, throat, and lungs. May cause skin irritation.
<b>Sensitizing effects:</b>	Not applicable for intact detector tubes. Chromium trioxide: May cause sensitization by inhalation and skin contact.
<b>Carcinogenic/mutagenic/toxic effects for reproduction:</b>	Not applicable for intact detector tubes. Chromium trioxide: Carcinogenic, category: K1. Mutagenic, category: M2. May impair fertility, category: RF3

**12. Ecological information**

<b>Toxicity:</b>	Not applicable for intact detector tubes. When indicator material is spilled: No data available.
------------------	---

**Pre tube C6H6 - 0,25**

D050017301

Revision no.: 5.00

Revision date: 13.02.2017

Print date: 13.02.2017

Page 6 of 9

CAS No.	Chemical name				
	Aquatic toxicity	Method	Dose	Species	h
7446-08-4	Selenium dioxide				
	Acute fish toxicity	LC50	2,9 mg/l	Pimephales promelas	96
1333-82-0	Chromium trioxide				
	Acute crustacea toxicity	EC50	0,162 mg/l	Daphnia Magna	48

**Persistence and degradability:**

Not applicable for intact detector tubes.

When indicator material is spilled: No data available.

**Bioaccumulative potential:**

Not applicable for intact detector tubes.

**Partition coefficient n-octanol/water**

CAS No.	Chemical name	Log Pow
7446-08-4	Selenium dioxide	-0,77

**Mobility in soil:**

Not applicable for intact detector tubes.

When indicator material is spilled: No data available.

**Other adverse effects:**

Not applicable for intact detector tubes.

When indicator material is spilled: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**Further information:**

When indicator material is spilled: Should not be released into the environment. Do not flush into surface water or sanitary sewer system.

**13. Disposal considerations****Waste treatment methods****Recommendation Waste disposal number of waste from residues/unused products:**

150202

WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; absorbents, filter materials, wiping cloths and protective clothing; absorbents, filter materials (including oil filters not otherwise specified), wiping cloths, protective clothing contaminated by dangerous substances

- 1) Do not dispose of used tubes carelessly, take precautions to prevent the contents from entering creeks, rain water run-off, sewers or water supplies.
- 2) Follow all local, state and federal laws and regulations regarding waste.
- 3) A box of Uniphos detector tubes contain less than 0.5 grams of hazardous materials and as such are classified a small quantity exception for transportation (49 CFR 173.4) and require no special shipping consideration.

**Pre tube C6H6 - 0,25**

D050017301

Revision no.: 5.00

Revision date: 13.02.2017

Print date: 13.02.2017

Page 7 of 9

**Recommendation Waste disposal number of contaminated packaging:**

150101  
WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); paper and cardboard packaging

**14. Transport information**

**Land transport (ADR/RID)**

**UN number:**

UN3077

**UN proper shipping name:**

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Selenium dioxide, chromium trioxide)

**Transport hazard class(es):**


9

**Packing group:**

III

**Hazard label:**

9



**Classification code:**

M7

**Special Provisions:**

274 335 601

**Limited quantity:**

5 kg

**Transport category:**

3

**Hazard-no.:**

90

**Tunnel restriction code:**

E

**Other applicable information (land transport):**

Excepted Quantity: E1

**Inland waterways transport**

**UN number:**

UN3077

**UN proper shipping name:**

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Selenium dioxide, chromium trioxide)

**Transport hazard class(es):**


9

**Packing group:**

III

**Hazard label:**

9



**Classification code:**

M7

**Special Provisions:**

274 601

**Limited quantity:**

5 kg

**Other applicable information (inland waterways transport):**

Excepted Quantity: E1

**Pre tube C6H6 - 0,25**

D050017301

Revision no.: 5.00


Revision date: 13.02.2017

Print date: 13.02.2017

Page 8 of 9

**Marine transport**


**UN number:** UN3077  
**UN proper shipping name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Selenium dioxide, Chromium(VI)oxide)  
**Transport hazard class(es):** 9  
**Packing group:** III  
**Hazard label:** 9



**Special Provisions:** 274, 335  
**Limited quantity:** 5 kg  
**EmS:** F-A, S-F  
**Other applicable information (marine transport):** Excepted Quantity: E1

**Air transport**

**UN/ID number:** UN3077  
**UN proper shipping name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Selenium dioxide, Chromium(VI)oxide)  
**Transport hazard class(es):** 9  
**Packing group:** III  
**Hazard label:** 9



**Special Provisions:** A97 A158 A179  
**Limited quantity Passenger:** 30 kg G  
**IATA-packing instructions - Passenger:** 956  
**IATA-max. quantity - Passenger:** 400 kg  
**IATA-packing instructions - Cargo:** 956  
**IATA-max. quantity - Cargo:** 400 kg  
**Other applicable information (air transport):** Excepted Quantity: E1  
 Passenger-LQ: Y956

**Environmental hazards**

**Dangerous for the environment:** yes

**15. Regulatory information**

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

**National regulatory information**

**Pre tube C6H6 - 0,25**

D050017301

Revision no.: 5.00

Revision date: 13.02.2017

Print date: 13.02.2017

Page 9 of 9

**16. Other information**

**Changes:**

Sections which have been changed in comparison to the preceding edition: 1, 2, 3, 7, 8, 10, 11, 12, 13, 14

**Abbreviations and acronyms:**

n.a. = not applicable

n.d. = not determined

**Full text of R-phrases referred to under sections 2 and 3:**

09 Explosive when mixed with combustible material.

23/25 Toxic by inhalation and if swallowed.

24/25 Toxic in contact with skin and if swallowed.

26 Very toxic by inhalation.

33 Danger of cumulative effects.

35 Causes severe burns.

42/43 May cause sensitization by inhalation and skin contact.

45 May cause cancer.

46 May cause heritable genetic damage.

48/23 Toxic: danger of serious damage to health by prolonged exposure through inhalation.

50 Very toxic to aquatic organisms.

53 May cause long-term adverse effects in the aquatic environment.

62 Possible risk of impaired fertility.

**Full text of H-Statements referred to under sections 2 and 3:**

H271 May cause fire or explosion; strong oxidiser.

H301 Toxic if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H330 Fatal if inhaled.

H331 Toxic if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H340 May cause genetic defects.

H350 May cause cancer.

H361f Suspected of damaging fertility.

H372 Causes damage to organs through prolonged or repeated exposure.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

**Further Information:**

The information is based on present levels of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

The product is to be used exclusively for the applications named in the technical leaflet or in the processing instructions.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*