

Revision no.: 6.00 Revision date: 27.05.2022

Print date: 27.05.2022

D050010701

Page 1 of 7

0. General notes

1. Identification of the substance/mixture and of the company/undertaking

Product identifier:	Detector Tube Types BNZ	
Relevant identified uses of the substance or mixture and uses advised against		
Use of the substance/mixture:	Detector tube	
Uses advised against:	The product is to be used exclusively for the applications	
	named in the directions for use.	

Details of the supplier of the safety data sheet

Company name:	UNIPHOS ENVIROTRONIC PVT. LTD.	
Street:	Readymoney Terrace 167, Dr. Annie Besant Road, Worli	
Place:	Mumbai 400018, India	
Telephone:	+91 22 61233500	
Telefax:	+91 22 24978119	
Emergency telephone:	+91 22 61233500	

Further Information:

Apply Safety data sheet to the following products: Part-No. D5085807

2. Hazards identification

Classification of the substance or mixture:

As an article the product does not need to be labelled in accordance with EC-directives or respective national laws.

Label elements				
Hazardous components which must be	Sulfuric acid fuming			
listed on the label:	Chromium	trioxide		
S phrases:	02	Keep out of the reach of children.		
	26	In case of contact with eyes, rinse immediately		
		with plenty of water and seek medical advice.		
	28 After contact with skin, wash immediately with plenty of water.			
	46	If swallowed, seek medical advice immediately and show this container or label.		
	24/25	Avoid contact with skin and eyes.		
Additional advice on labelling:	As an article the product does not need to be labelled in			
	accordance with EC-directives or respective national laws.			
Other hazards:	Detector tube: No hazards deemed to be of major importance.			
	Content: May cause cancer. May cause heritable genetic			
	damage. Harmful by inhalation. Causes severe burns.			
	Harmful to aquatic organisms, may cause long-term adverse			
	effects in the	he aquatic environment.		



Revision no.: 6.00 Revision date: 27.05.2022

Print date: 27.05.2022

D050010701

Page 2 of 7

3. Composition/information on ingredients

Mixtures

Chemical characterization:

Sealed glass tube, filled with inert granules, treated with oleum, sulphuric acid, chromiumtrioxide

Hazardous components

EC No.	Chemical name	Quantity
CAS No.	Classification	
Index No.	GHS classification	
REACH No.		
-	Sulfuric acid fuming	6-8%
8014-95-7	C R14-35-37	
	Skin Corr. 1; H335 H314	
231-639-5	Sulphuric acid	4 - 5 %
7664-93-9	C R35	
016-020-00-8	Skin Corr. 1A; H314	
215-607-8	Chromium trioxide	0,2 - 0,3 %
1333-82-0	O, Carc. Cat. 1, Muta. Cat. 2, Repr. Cat. 3, T+, T, C, N R9-45-46-62-26-24/25-48/23-35-42/43-50-53	
024-001-00-0	Ox. Sol. 1, Carc. 1A, Muta. 1B, Repr. 2, Acute Tox. 2, Acute Tox. 3, Acute ox. 3, STOT RE 1, Skin Corr. 1A, Resp. Sens. 1, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 1; H271 H350 H340 H361f H330 H311 H301 H372 H314 H334 H317 H400 H410	

Full text of R- and H-phrases: see section 16.

4. First aid measures

After inhalation: Not applicable for intact detector tubes. When indicator material is spilled: Inhalation of vapours: Move to fresh air. Call a physician immediately.
to fresh air. Call a physician immediately
After contact with skin: Not applicable for intact detector tubes.
When indicator material is spilled: Wash off immediately with
plenty of water. Consult a physician. Cut be handled through a
doctor.
After contact with eyes: Not applicable for intact detector tubes.
When indicator material is spilled: Rinse immediately with
plenty of water, also under the eyelids. Consult an
ophthalmologist immediately.
After ingestion: Not applicable for intact detector tubes.
When indicator material is spilled: Call a physician
immediately. If conscious, drink plenty of water.



Revision no.: 6.00 Revision date: 27.05.2022

Print date: 27.05.2022

D050010701

Page 3 of 7

5. Fire-fighting measures

The product itself does not burn. Use extinguishing measures that are appropriate to the environment.
None.
None.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Methods and material for containment and cleaning up: Release not possible if used properly.

When indicator material is spilled: Dilute with water. Soak up the product with absorbent, non-flammable material (acid binding agent). Avoid contact of breakage of glass and indicator material. Dispose of as described in section 13.

7. Handling and storage

Precautions for safe handling	
Advice on safe handling:	See the specific Instruction for use.
Advice on protection against fire and explosion:	No special precautions required.
Conditions for safe storage, including any in	ncompatibilities
Advice on storage compatibility:	Do not store together with edibles.
Further information on storage	See the specific Instruction for use. Recommended storage
conditions:	temperature: 20°C

8. Exposure controls/personal protection

Control parameters

Exposure limits (EH40 / OSHA PEL / ACGIH TLV)

CAS No. Chemical name	Category	mg/m³	Origin
- Chromium (VI) compounds (as Cr)	TWA (8 h)	0.05	WEL / OSHA PEL/ ACGIH
	STEL (15 min)	-	WEL / OSHA PEL/ ACGIH
7664-93-9 Sulphuric acid (mist)	TWA (8 h)	1	EU/ OSHA PEL/ ACGIH
	STEL (15 min)	3	ACGIH

Safety information for products



D050010701

Page 4 of 7

Detector Tube Types BNZ

Revision no.: 6.00 Revision date: 27.05.2022

Respiratory protection:

Hand protection: Eve protection:

Skin protection:

Print date: 27.05.2022

Release not possible if used properly.

Exposure controls Protective and hygiene measures:

Additional advice on limit values:

Avoid contact with eyes or skin after breaking of the tub tips. Avoid contact of breakage of glass and indicator material. Do not take up glass breads and content of the tube with bare hands. Wash hands before breaks and at the end of the workday. Not required. Not required.

Not required. Not required.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state: Colour: Odour:	Granules in a glass tube. orange pungent	
pH-Value (at 20 °C):	1	Test method 50 g/l water
Changes in the physical state Melting point: Boiling point: Flash point: Lower explosion limits: Upper explosion limits: Vapour pressure: Water solubility:	n.a. n.a. n.a. n.a. n.a. low solubility	
(at 20 °C) Viscosity / dynamic:	n.a.	

10. Stability and reactivity

Reactivity: Possibility of hazardous reactions: Conditions to avoid: Hazardous decomposition products: Further information: None if handled correctly in accordance with the instructions for use. None under recommended use and storage conditions. None if handled correctly in accordance with the instructions for use. No decomposition if stored and applied as directed. After the opening of the tube: Sensitive to air (discolouration)

11. Toxicological information

Information on toxicological effects Toxicocinetics, metabolism and distribution: Acute toxicity:

Not applicable for intact detector tubes. When indicator material is spilled: No data available. Not applicable for intact detector tubes. When indicator material is spilled: No data available.



D050010701

Revision no.: 6.00 Revision date: 27.05.2022

Print date: 27.05.2022

Page 5 of 7

CAS No.	Chemical name			
	Exposure routes	Method Dose	Species	h
1333-82-0	Chromium trioxide			
	Acute oral toxicity	LD50 50 mg/kg	rats	
	Acute dermal toxicity	LD50 55 mg/kg	rats	

Irritation and corrosivity:	Not applicable for intact detector tubes. In the formation of vapours: Vapours may be irritating to eyes, nose, throat, and lungs. May cause skin irritation. Ingestion causes burns of the upper digestive and respiratory tracts.
Sensitizing effects:	Not applicable for intact detector tubes. Chromium trioxide: May cause sensitization by inhalation and skin contact.
Carcinogenic/mutagenic/toxic effects for reproduction:	Not applicable for intact detector tubes. Chromium trioxide: Carcinogenic, category: K1. Mutagenic, category: M2. May impair fertility, category: RF3.

12. Ecological information

Toxicity:

Not applicable for intact detector tubes. When indicator material is spilled: No data available.

CAS No.	Chemical name			
	Aquatic toxicity	Method Dose	Species	h
1333-82-0	Chromium trioxide			
	Acute crustacea toxicity	EC50 0,162 mg/l	Daphnia Magna	48

Persistence and degradability:	Not applicable for intact detector tubes. When indicator material is spilled: No data available.
Other adverse effects:	Not applicable for intact detector tubes. When indicator material is spilled: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Further information:	When indicator material is spilled: Should not be released into the environment. Do not flush into surface water or sanitary sewer system.

13. Disposal considerations

Waste treatment methods

Safety information for products



Detector Tube Types BNZ

Recommendation Waste disposal

number of waste from residues/unused

Revision no.: 6.00 Revision date: 27.05.2022

products:

Print date: 27.05.2022

Page 6 of 7

D050010701

150202

WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; absorbents, filter materials, wiping cloths and protective clothing; absorbents, filter materials (including oil filters not otherwise specified), wiping cloths, protective clothing contaminated by dangerous substances

- Do not dispose of used tubes carelessly, take precautions to prevent the contents from entering creeks, rain water run-off, sewers or water supplies.
- 2) Follow all local, state and federal laws and regulations regarding waste
- 3) A box of Uniphos detector tubes contain less than 0.5 grams of hazardous materials and as such are classified a small quantity exception for transportation (49 CFR 173.4) and require no special shipping consideration.

Recommendation Waste disposal number of contaminated packaging:

150101

WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); paper and cardboard packaging

14. Transport information

Land transport (ADR/RID) Other applicable information (land transport):	Not classified as dangerous regarding transport regulations.
Inland waterways transport Other applicable information (inland waterways transport):	Not classified as dangerous regarding transport regulations.
Marine transport Other applicable information (marine transport):	Not classified as dangerous regarding transport regulations.
Air transport Other applicable information (air transport):	Not classified as dangerous regarding transport regulations.

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information



Revision no.: 6.00 Revision date: 27.05.2022

Print date: 27.05.2022

D050010701

Page 7 of 7

16. Other information

Changes:		Sections which have been changed in comparison to the preceding edition: None (Revision date)		
Abbreviations and acronyms:		n.a. = not applicable		
Abbreviations and acronyms.	n.d. = not determined			
Full text of R-phrases referred to under	09	Explosive when mixed with combustible material.		
sections 2 and 3:	14	Reacts violently with water.		
sections 2 and 3:	24/25	Toxic in contact with skin and if swallowed.		
	24/20	Very toxic by inhalation.		
	35	Causes severe burns.		
	37	Irritating to respiratory system.		
	42/43	May cause sensitization by inhalation and skin		
	,	contact.		
	45	May cause cancer.		
	46	May cause heritable genetic damage.		
	48/23	Toxic: danger of serious damage to health by		
	10,20	prolonged exposure through inhalation.		
	50	Very toxic to aquatic organisms.		
	53	May cause long-term adverse effects in the		
	00	aquatic environment.		
	62	Possible risk of impaired fertility.		
Full text of H-Statements referred to	H271	May cause fire or explosion; strong oxidiser.		
under sections 2 and 3:	H301	Toxic if swallowed.		
	H311	Toxic in contact with skin.		
	H314	Causes severe skin burns and eye damage.		
	H317	May cause an allergic skin reaction.		
	H330	Fatal if inhaled.		
	H334	May cause allergy or asthma symptoms or		
		breathing difficulties if inhaled.		
	H335	May cause respiratory irritation.		
	H340	May cause genetic defects.		
	H350	May cause cancer.		
	H361f	Suspected of damaging fertility.		
	H372	Causes damage to organs through prolonged or		
	11400	repeated exposure.		
	H400	Very toxic to aquatic life.		
	H410	Very toxic to aquatic life with long lasting effects.		
Further Information:	The information is based on present levels of our knowledge.			
	It does not, however, give assurances of product properties			
	and establishes no contract legal rights.			
	The product is to be used exclusively for the applications			
	named in the technical leaflet or in the processing instructions.			
	The receiver of our product is singularly responsible for adhering to existing laws and regulations.			
	adnering	to existing laws and regulations.		

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)