

D050011501

Revision no.: 6.00

Revision date: 27.05.2022 Print date: 27.05.2022 Page 1 of 7

0. General notes

These products are articles according to article 3.3 of regulation (EC) no. 1907/2006 (REACh). It is not necessary to supply a Safety Data Sheet for these products. Safety Data Sheets stipulate according to Article 31 for hazardous substances and preparations, but not for articles. UNIPHOS is obliged to supply its customers with appropriate information to ensure safe handling. A special format is not required for this information.

1. Identification of the substance/mixture and of the company/undertaking

Product identifier: Detector Tube Types CO - 0,5 % Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture: Detector tube

Uses advised against: The product is to be used exclusively for the applications

named in the directions for use.

Details of the supplier of the safety data sheet

Company name: UNIPHOS ENVIROTRONIC PVT. LTD.

Street: Readymoney Terrace 167, Dr. Annie Besant Road, Worli

 Place:
 Mumbai 400018, India

 Telephone:
 +91 22 61233500

 Telefax:
 +91 22 24978119

 Emergency telephone:
 +91 22 61233500

Further Information: Apply Safety data sheet to the following products:

Part-No.

D5085835 DT CO-0.5%, Pkg of 10 D5085935 DT CO-0.5%, Pkg of 200

2. Hazards identification

Classification of the substance or

mixture:

As an article the product does not need to be labelled in accordance with EC-directives or respective national laws.

Label elements

Hazardous components which must be

listed on the label:

Sulfuric acid fuming

S phrases: 02 Keep out of the reach of children.

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

28 After contact with skin, wash immediately with

plenty of water.

46 If swallowed, seek medical advice immediately

and show this container or label.

24/25 Avoid contact with skin and eyes.

Additional advice on labelling: As an article the product does not need to be labelled in

accordance with EC-directives or respective national laws.



D050011501

Revision no.: 6.00

Revision date: 27.05.2022 Print date: 27.05.2022 Page 2 of 7

Other hazards: Detector tube: No hazards deemed to be of major importance.

Content: Causes burns.

3. Composition/information on ingredients

Mixtures

Chemical characterization: Sealed glass tube, filled with inert granules, treated with

oleum, selenium(IV)oxide

Hazardous components

| EC No. | Chemical name | Quantity |
|-----------|---|----------|
| CAS No. | Classification | |
| Index No. | GHS classification | |
| REACH No. | | |
| - | Sulfuric acid fuming | 5 - 10 % |
| 8014-95-7 | C R14-35-37 | |
| | Skin Corr. 1; H335 H314 | |
| 231-194-7 | Selenium dioxide | < 0,2 % |
| 7446-08-4 | T, N R23/25-33-50-53 | |
| | Acute Tox. 3, Acute Tox. 3, STOT RE 2, Aquatic Chronic 1; H301 H331 H373 H410 | |

Full text of R- and H-phrases: see section 16.

4. First aid measures

After contact with skin:

Description of first aid measures

After inhalation: Not applicable for intact detector tubes.

When indicator material is spilled: Inhalation of vapours: Move

to fresh air. Call a physician immediately. Not applicable for intact detector tubes.

When indicator material is spilled: Wash off immediately with

plenty of water. If symptoms persist, call a physician.

After contact with eyes: Not applicable for intact detector tubes.

When indicator material is spilled: Rinse immediately with

plenty of water, also under the eyelids. Consult an

ophthalmologist immediately.

After ingestion: Not applicable for intact detector tubes.

When indicator material is spilled: Call a physician immediately. If conscious, drink plenty of water.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media: The product itself does not burn. Use extinguishing measures

that are appropriate to the environment.



D050011501

Revision no.: 6.00

Revision date: 27.05.2022 Print date: 27.05.2022 Page 3 of 7

Extinguishing media which must not be

used for safety reasons:

Special hazards arising from the

substance or mixture:

None.

None.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Methods and material for containment

and cleaning up:

Release not possible if used properly.

When indicator material is spilled: Dilute with water. Soak up the product with absorbent, non-flammable material (acid binding agent). Avoid contact of breakage of glass and indicator material. Dispose of as described in section 13.

7. Handling and storage

Precautions for safe handling

Advice on safe handling: Advice on protection against fire and

explosion:

See the specific Instruction for use. No special precautions required.

Conditions for safe storage, including any incompatibilities

Advice on storage compatibility: Do not store together with edibles.

Further information on storage See the specific Instruction for use. Recommended storage

conditions: temperature: 20°C

8. Exposure controls/personal protection

Control parameters

Exposure limits (EH40 / OSHA PEL / ACGIH TLV)

| CAS No. | Chemical name | Category | mg/m³ | Origin |
|-----------|--|---------------|-------|-----------------------|
| | Selenium and compounds, except hydrogen selenide (as Se) | TWA (8 h) | 0.1 | WEL |
| | | | 0.2 | OSHA PEL/ ACGIH |
| | | STEL (15 min) | - | WEL / OSHA PEL/ ACGIH |
| | | | | |
| 7664-93-9 | 9 Sulphuric acid (mist) | TWA (8 h) | 1 | EU/ OSHA PEL/ ACGIH |
| | | STEL (15 min) | 3 | ACGIH |
| | | | | |

Additional advice on limit values: Release

Exposure controls

Release not possible if used properly.



D050011501

Revision no.: 6.00

Revision date: 27.05.2022 Print date: 27.05.2022 Page 4 of 7

Protective and hygiene measures: Avoid contact with eyes or skin after breaking of the tub tips.

Avoid contact of breakage of glass and indicator material. Do not take up glass breads and content of the tube with bare hands. Wash hands before breaks and at the end of the

workday.

Respiratory protection:Not required.
Hand protection:
Not required.

When indicator material is spilled: Protective gloves made out

of: nitrile rubber

Eye protection: Not required. **Skin protection:** Not required.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state:Granules in a glass tube.Colour:brownish and white

Odour: pungent

PH-Value (at 20 °C): 2 50 g/l water

Changes in the physical state

 Melting point:
 n.a.

 Boiling point:
 n.a.

 Flash point:
 n.a.

 Lower explosion limits:
 n.a.

 Upper explosion limits:
 n.a.

 Vapour pressure:
 n.a.

Water solubility: low solubility

(at 20 °C)

Viscosity / dynamic: n.a.

10. Stability and reactivity

Reactivity: None if handled correctly in accordance with the instructions for use.

Possibility of hazardous reactions: None under recommended use and storage conditions.

Conditions to avoid: None if handled correctly in accordance with the instructions for use.

Hazardous decomposition products: No decomposition if stored and applied as directed.

Further information: After the opening of the tube: Sensitive to air (discolouration)

11. Toxicological information

Information on toxicological effects

Toxicocinetics, metabolism andNot applicable for intact detector tubes.

distribution: When indicator material is spilled: No data available.

Acute toxicity: Not applicable for intact detector tubes.

When indicator material is spilled: No data available.



D050011501

Revision no.: 6.00

Revision date: 27.05.2022 Print date: 27.05.2022 Page 5 of 7

| CAS No. | Chemical name | | | |
|-----------|---------------------|-----------------|---------|---|
| | Exposure routes | Method Dose | Species | h |
| 7446-08-4 | Selenium dioxide | | | |
| | Acute oral toxicity | LD50 68,1 mg/kg | rats | |

Irritation and corrosivity: In the formation of vapours: Inhalation of mist can lead to

lung damage. Vapours may be irritating to eyes, nose, throat,

and lungs. May cause skin irritation.

Ingestion causes burns of the upper digestive and respiratory

tracts.

12. Ecological information

Toxicity: Not applicable for intact detector tubes.

When indicator material is spilled: No data available.

| CAS No. | Chemical name | | | |
|-----------|---------------------|---------------|---------------------|----|
| | Aquatic toxicity | Method Dose | Species | h |
| 7446-08-4 | Selenium dioxide | | | |
| | Acute fish toxicity | LC50 2,9 mg/l | Pimephales promelas | 96 |

Persistence and degradability: Not applicable for intact detector tubes.

When indicator material is spilled: No data available.

Bioaccumulative potential: Not applicable for intact detector tubes.

Partition coefficient n-octanol/water

| CAS No. | Chemical name | Log Pow |
|-----------|------------------|---------|
| 7446-08-4 | Selenium dioxide | -0,77 |

Mobility in soil: Not applicable for intact detector tubes.

When indicator material is spilled: No data available.

Further information: When indicator material is spilled: Should not be released into

the environment. Do not flush into surface water or sanitary

sewer system.

13. Disposal considerations

Waste treatment methods



D050011501

Revision no.: 6.00

Revision date: 27.05.2022 Print date: 27.05.2022 Page 6 of 7

Recommendation Waste disposal number of waste from residues/unused products:

150202

WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; absorbents, filter materials, wiping cloths and protective clothing; absorbents, filter materials (including oil filters not otherwise specified), wiping cloths, protective clothing contaminated by dangerous substances

- Do not dispose of used tubes carelessly, take precautions to prevent the contents from entering creeks, rain water run-off, sewers or water supplies.
- 2) Follow all local, state and federal laws and regulations regarding waste
- 3) A box of Uniphos detector tubes contain less than 0.5 grams of hazardous materials and as such are classified a small quantity exception for transportation (49 CFR 173.4) and require no special shipping consideration.

Recommendation Waste disposal number of contaminated packaging:

150101

WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); paper and cardboard packaging

14. Transport information

Land transport (ADR/RID)

Other applicable information (land

transport):

Not classified as dangerous regarding transport regulations.

Inland waterways transport

Other applicable information (inland

waterways transport):

Not classified as dangerous regarding transport regulations.

Marine transport

Other applicable information (marine

transport):

Not classified as dangerous regarding transport regulations.

Air transport

Other applicable information (air

transport):

Not classified as dangerous regarding transport regulations.

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture National regulatory information



D050011501

Revision no.: 6.00

Revision date: 27.05.2022 Print date: 27.05.2022 Page 7 of 7

16 Other information

| Changes: | Sections which have been changed in comparison to the | | | |
|--|---|---|--|--|
| | preceding edition: 1 | | | |
| Abbreviations and acronyms: | n.a. = not applicable | | | |
| | n.d. = not determined | | | |
| Full text of R-phrases referred to under | 14 | Reacts violently with water. | | |
| sections 2 and 3: | 23/25 | Toxic by inhalation and if swallowed. | | |
| | 33 | Danger of cumulative effects. | | |
| | 35 | Causes severe burns. | | |
| | 37 | Irritating to respiratory system. | | |
| | 50 | Very toxic to aquatic organisms. | | |
| | 53 | May cause long-term adverse effects in the | | |
| | | aquatic environment. | | |
| Full text of H-Statements referred to | H301 | Toxic if swallowed. | | |
| under sections 2 and 3: | H314 | Causes severe skin burns and eye damage. | | |
| | H331 | Toxic if inhaled. | | |
| | H335 | May cause respiratory irritation. | | |
| | H373 | May cause damage to organs through prolonged | | |
| | | or repeated exposure. | | |
| | H410 | Very toxic to aquatic life with long lasting effects. | | |
| Further Information: | The information is based on present levels of our knowledge. | | | |
| | It does not, however, give assurances of product properties | | | |
| | and establishes no contract legal rights. | | | |
| | The product is to be used exclusively for the applications | | | |
| | named in the technical leaflet or in the processing instructions. | | | |
| | The receiver of our product is singularly responsible for | | | |
| | adhering to existing laws and regulations. | | | |

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)