

# **Detector Tube Types Per - xxx**

Revision no.: 6.00 Revision date: 28.05.2022

Print date: 28.05.2022

D050011701

Page 1 of 7

# 0. General notes

2.

These products are articles according to article 3.3 of regulation (EC) no. 1907/2006 (REACh). It is not necessary to supply a Safety Data Sheet for these products. Safety Data Sheets stipulate according to Article 31 for hazardous substances and preparations, but not for articles. UNIPHOS is obliged to supply its customers with appropriate information to ensure safe handling. A special format is not required for this information.

#### 1. Identification of the substance/mixture and of the company/undertaking

Product identifier: Relevant identified uses of the substance or m Use of the substance/mixture: Uses advised against:	nixture and us Detector tub The product named in the	-
Details of the supplier of the safety data sheet		
Company name: Street: Place: Telephone: Telefax: Emergency telephone:	UNIPHOS ENVIROTRONIC PVT. LTD. Readymoney Terrace 167, Dr. Annie Besant Road, Worli Mumbai 400018, India +91 22 61233500 +91 22 24978119 +91 22 61233500	
Further Information:	Apply Safety Part-No. D5085840 D5085865 D5085940 D5092865	/ data sheet to the following products: Product name Per-10 Per-5 Per-10 Per-5 ETW
Hazards identification Classification of the substance or mixture:	As an article	e the product does not need to be labelled in
	accordance	with EC-directives or respective national laws.
Label elements Hazardous components which must be listed on the label:	Sulfic acid fu	umic
S phrases:	02 26	Keep out of the reach of children. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
	28	After contact with skin, wash immediately with plenty of water.
	46	If swallowed, seek medical advice immediately

24/25

and show this container or label.

Avoid contact with skin and eyes.



Detector Tube Types Per - xxx Revision no.: 6.00		D050011701
Revision date: 28.05.2022	Print date: 28.05.2022	Page 2 of 7
Additional advice on labelling:	As an article the product does not need accordance with EC-directives or respec	
Other hazards:	Detector tube: No hazards deemed to be Content: Causes burns.	e of major importance.

# 3. Composition/information on ingredients

#### Mixtures

Chemical characterization:

Sealed glass tube, filled with inert granules, treated with oleum, chromiumtrioxide

#### Hazardous components

EC No.	Chemical name	Quantity
CAS No.	Classification	
Index No.	GHS classification	
REACH No.		
-	Sulfic acid fumic	5 - 10 %
8014-95-7	C R14-35-37	
	Skin Corr. 1; H335 H314	
215-607-8	Chromium trioxide	< 0,02 %
1333-82-0	O, Carc. Cat. 1, Muta. Cat. 2, Repr. Cat. 3, T+, T, C, N R9-45-46-62-26-24/25-48/23-35-42/43-50-53	
024-001-00-0	Ox. Sol. 1, Carc. 1A, Muta. 1B, Repr. 2, Acute Tox. 2, Acute Tox. 3, Acute Tox. 3, STOT RE 1, Skin Corr. 1A, Resp. Sens. 1, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 1; H271 H350 H340 H361f H330 H311 H301 H372 H314 H334 H317 H400 H410	

Full text of R- and H-phrases: see section 16.

#### 4. First aid measures

Description of first aid measures	
After inhalation:	Not applicable for intact detector tubes.
	When indicator material is spilled: Inhalation of vapours: Move
	to fresh air. If symptoms persist, call a physician.
After contact with skin:	Not applicable for intact detector tubes.
	When indicator material is spilled: Wash off immediately with
	plenty of water. If symptoms persist, call a physician.
After contact with eyes:	Not applicable for intact detector tubes.
	When indicator material is spilled: Rinse immediately with
	plenty of water, also under the eyelids. Consult an
	ophthalmologist immediately.
After ingestion:	Not applicable for intact detector tubes.
	When indicator material is spilled: Call a physician
	immediately. If conscious, drink plenty of water.

### 5. Fire-fighting measures



Detector Tube Types Per - xxx			D050011701
Revision no.: 6.00 Revision date: 28.05.2022	Print date: 28.05.2022		Page 3 of 7
Nevision date. 20.03.2022	Finit date: 20.00.2022		Fage 3 017
Extinguishing media			
Suitable extinguishing media:	The product itself c that are appropriate		ourn. Use extinguishing measures nvironment.
Extinguishing media which must not be used for safety reasons:	None.		
Special hazards arising from the substance or mixture:	None.		
6. Accidental release measures			
Personal precautions, protective equipment and emergency procedures:	Release not possib	ole if used	l properly.
Methods and material for containment and cleaning up:	the product with ab binding agent). Avc	osorbent, bid contac	pilled: Dilute with water. Soak up non-flammable material (acid ct of breakage of glass and of as described in section 13.
7. Handling and storage			
Precautions for safe handling			
Advice on safe handling: Advice on protection against fire and	See the specific Ins No special precaut		
explosion:			
Conditions for safe storage, including any in Advice on storage compatibility:	Do not store togeth	ner with e	dibles.
Further information on storage conditions:	See the specific Instead temperature: 20°C	struction 1	for use. Recommended storage
8. Exposure controls/personal protectio	n		
Control parameters			
Exposure limits (EH40 / OSHA PEL / ACGI	H TLV)		
CAS No. Chemical name	Category	mg/m³	Origin
- Chromium (VI) compounds (as Cr	) TWA (8 h)	0.05	WEL / OSHA PEL/ ACGIH
	STEL (15 min)	-	WEL / OSHA PEL/ ACGIH
7664-93-9 Sulphuric acid (mist)	TWA (8 h)	1	EU/ OSHA PEL/ ACGIH
	STEL (15 min)	3	

#### Additional advice on limit values:

Release not possible if used properly.

3

ACGIH

**Exposure controls** 

STEL (15 min)



Detector Tube Types Per - xxx		D050011701
Revision no.: 6.00		
Revision date: 28.05.2022	Print date: 28.05.2022	Page 4 of 7
Protective and hygiene measures:	Avoid contact with eyes or skin after breaking of Avoid contact of breakage of glass and indicator not take up glass breads and content of the tube hands. Wash hands before breaks and at the end workday.	material. Do with bare
Respiratory protection:	Not required.	
Hand protection:	Not required.	
	When indicator material is spilled: Protective glov of: nitrile rubber	ves made out
Eye protection:	Not required.	
Skin protection:	Not required.	

#### 9. Physical and chemical properties

#### Information on basic physical and chemical properties

Physical state: Colour: Odour:	Granules in a glass tube. brownish and white pungent	
pH-Value (at 20 °C):	2	<b>Test method</b> 50 g/l water
Changes in the physical state		
Melting point: Boiling point:	n.a.	
Flash point:	n.a. n.a.	
Lower explosion limits:	n.a.	
Upper explosion limits:	n.a.	
Vapour pressure:	n.a.	
Water solubility: (at 20 °C)	low solubility	
Viscosity / dynamic:	n.a.	

#### 10. Stability and reactivity

Reactivity:
Possibility of hazardous reactions:
Conditions to avoid:
Hazardous decomposition products:
Further information:

None if handled correctly in accordance with the instructions for use. None under recommended use and storage conditions. None if handled correctly in accordance with the instructions for use. No decomposition if stored and applied as directed. After the opening of the tube: Sensitive to air (discolouration )

#### 11. Toxicological information

Information on toxicological effects Toxicocinetics, metabolism and distribution: Acute toxicity:

Not applicable for intact detector tubes. When indicator material is spilled: No data available. Not applicable for intact detector tubes. When indicator material is spilled: No data available.



# **Detector Tube Types Per - xxx**

Revision no.: 6.00 Revision date: 28.05.2022

Print date: 28.05.2022

D050011701 Page 5 of 7

CAS No.	Chemical name			
	Exposure routes	Method Dose	Species	h
1333-82-0	Chromium trioxide			
	Acute oral toxicity	LD50 50 mg/kg	rats	
	Acute dermal toxicity	LD50 55 mg/kg	rats	

Irritation and corrosivity:	In the formation of vapours: Inhalation of mist can lead to lung damage. Vapours may be irritating to eyes, nose, throat, and lungs. May cause skin irritation. Ingestion causes burns of the upper digestive and respiratory tracts.
Sensitizing effects:	Not applicable for intact detector tubes. Chromium trioxide: May cause sensitization by inhalation and skin contact.
Carcinogenic/mutagenic/toxic effects for reproduction:	Not applicable for intact detector tubes. Chromium trioxide: Carcinogenic, category: K1. Mutagenic, category: M2. May impair fertility, category: RF3

### 12. Ecological information

#### Toxicity:

Not applicable for intact detector tubes. When indicator material is spilled: No data available.

CAS No.	Chemical name			
	Aquatic toxicity	Method Dose	Species	h
1333-82-0	Chromium trioxide	-	_	
	Acute crustacea toxicity	EC50 0,162 mg/l	Daphnia Magna	48

Persistence and degradability: Bioaccumulative potential:	Not applicable for intact detector tubes. When indicator material is spilled: No data available. Not applicable for intact detector tubes. When indicator material is spilled: No data available.
Mobility in soil:	Not applicable for intact detector tubes. When indicator material is spilled: No data available.
Further information:	When indicator material is spilled: Should not be released into the environment. Do not flush into surface water or sanitary sewer system.

### 13. Disposal considerations

#### Waste treatment methods



# **Detector Tube Types Per - xxx**

Revision no.: 6.00 Revision date: 28.05.2022

products:

Recommendation Waste disposal number of waste from residues/unused Print date: 28.05.2022

D050011701 Page 6 of 7

150202

WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; absorbents, filter materials, wiping cloths and protective clothing; absorbents, filter materials (including oil filters not otherwise specified), wiping cloths, protective clothing contaminated by dangerous substances

- 1) Do not dispose of used tubes carelessly, take precautions to prevent the contents from entering creeks, rain water run-off, sewers or water supplies.
- 2) Follow all local, state and federal laws and regulations regarding waste
- 3) A box of Uniphos detector tubes contain less than 0.5 grams of hazardous materials and as such are classified a small quantity exception for transportation (49 CFR 173.4) and require no special shipping consideration.

Recommendation Waste disposal number of contaminated packaging:

150101 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); paper and cardboard packaging

#### 14. Transport information

Land transport (ADR/RID) Other applicable information (land Not classified as dangerous regarding transport regulations. transport): Inland waterways transport Other applicable information (inland Not classified as dangerous regarding transport regulations. waterways transport): Marine transport Other applicable information (marine Not classified as dangerous regarding transport regulations. transport): Air transport Other applicable information (air Not classified as dangerous regarding transport regulations. transport):

#### 15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information



D050011701

Detector	Tube	Types	Per -	ххх
----------	------	-------	-------	-----

Revision no.: 6.00		
Revision date: 28.05.2022	Print date: 28.05.2022	Page 7 of 7

### 16. Other information

Changes:	Sections which have been changed in comparison to the preceding edition: None (Revision Date)			
Abbreviations and acronyms:	n.a. = not applicable n.d. = not determined			
Full text of R-phrases referred to under	09	Explosive when mixed with combustible material.		
sections 2 and 3:	14	Reacts violently with water.		
	24/25	Toxic in contact with skin and if swallowed.		
	26	Very toxic by inhalation.		
	35	Causes severe burns.		
	37	Irritating to respiratory system.		
	42/43	May cause sensitization by inhalation and skin contact.		
	45	May cause cancer.		
	46	May cause heritable genetic damage.		
	48/23	Toxic: danger of serious damage to health by		
		prolonged exposure through inhalation.		
	50	Very toxic to aquatic organisms.		
	53	May cause long-term adverse effects in the aquatic environment.		
	62	Possible risk of impaired fertility.		
Full text of H-Statements referred to	H271	May cause fire or explosion; strong oxidiser.		
under sections 2 and 3:	H301	Toxic if swallowed.		
	H311	Toxic in contact with skin.		
	H314	Causes severe skin burns and eye damage.		
	H317	May cause an allergic skin reaction.		
	H330	Fatal if inhaled.		
	H334	May cause allergy or asthma symptoms or		
		breathing difficulties if inhaled.		
	H335	May cause respiratory irritation.		
	H340	May cause genetic defects.		
	H350	May cause cancer.		
	H361f	Suspected of damaging fertility.		
	H372	Causes damage to organs through prolonged or repeated exposure.		
	H400	Very toxic to aquatic life.		
	H410	Very toxic to aquatic life with long lasting effects.		
Further Information:	The inforn	nation is based on present levels of our knowledge.		
	It does not, however, give assurances of product properties			
	and establishes no contract legal rights.			
	The product is to be used exclusively for the applications			
	named in the technical leaflet or in the processing instructions.			
	The receiver of our product is singularly responsible for			
	adhering to existing laws and regulations.			

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)