

Revision no.: 6.00 Revision date: 28.05.2022

Print date: 28.05.2022

D050013201

Page 1 of 9

0. General notes

2.

These products are articles according to article 3.3 of regulation (EC) no. 1907/2006 (REACh). It is not necessary to supply a Safety Data Sheet for these products. Safety Data Sheets stipulate according to Article 31 for hazardous substances and preparations, but not for articles. UNIPHOS is obliged to supply its customers with appropriate information to ensure safe handling. A special format is not required for this information.

1. Identification of the substance/mixture and of the company/undertaking

Details of the supplier of the safety data sheetUNIPHOS ENVIROTRONIC PVT. LTD.Company name:UNIPHOS ENVIROTRONIC PVT. LTD.Street:Readymoney Terrace 167, Dr. Annie Besant Road, WorliPlace:Mumbai 400018, IndiaTelephone:+91 22 61233500Telefax:+91 22 24978119Emergency telephone:+91 22 61233500Further Information:Apply Safety data sheet to the following products: Part-No. D5085841 DT CO2-1%, Pkg of 10 D5985941 DT CO2-1%, Pkg of 200Hazards identification Classification of the substance or mixture:As an article the product does not need to be labelled in	Product identifier: Relevant identified uses of the substance or Use of the substance/mixture: Uses advised against:
Street: Readymoney Terrace 167, Dr. Annie Besant Road, Worli Place: Mumbai 400018, India Telephone: +91 22 61233500 Telefax: +91 22 24978119 Emergency telephone: +91 22 61233500 Further Information: Apply Safety data sheet to the following products: Part-No. D5085841 DT CO2-1%, Pkg of 10 D5985941 DT CO2-1%, Pkg of 200 Hazards identification Classification of the substance or mixture: As an article the product does not need to be labelled in	Details of the supplier of the safety data she
Place: Mumbai 400018, India Telephone: +91 22 61233500 Telefax: +91 22 24978119 Emergency telephone: +91 22 61233500 Further Information: Apply Safety data sheet to the following products: Part-No. D5085841 DT CO2-1%, Pkg of 10 D5985941 DT CO2-1%, Pkg of 200 • Hazards identification Classification of the substance or mixture: As an article the product does not need to be labelled in	
Telephone:+91 22 61233500Telefax:+91 22 24978119Emergency telephone:+91 22 61233500Further Information:Apply Safety data sheet to the following products: Part-No. D5085841 DT CO2-1%, Pkg of 10 D5985941 DT CO2-1%, Pkg of 200Hazards identification Classification of the substance or mixture:As an article the product does not need to be labelled in	
Emergency telephone: +91 22 61233500 Further Information: Apply Safety data sheet to the following products: Part-No. D5085841 DT CO2-1%, Pkg of 10 D5985941 DT CO2-1%, Pkg of 200 • Hazards identification Classification of the substance or mixture: As an article the product does not need to be labelled in	Telephone:
Further Information: Apply Safety data sheet to the following products: Part-No. D5085841 DT CO2-1%, Pkg of 10 D5985941 DT CO2-1%, Pkg of 200 • Hazards identification Classification of the substance or mixture: As an article the product does not need to be labelled in	Telefax:
Part-No. D5085841 DT CO2-1%, Pkg of 10 D5985941 DT CO2-1%, Pkg of 200 • Hazards identification Classification of the substance or mixture: As an article the product does not need to be labelled in	Emergency telephone:
Classification of the substance or mixture: As an article the product does not need to be labelled in	Further Information:
	Classification of the substance or
accordance with EC-directives or respective national laws.	l ak al alam anta
Label elements Hazardous components which must be Methanol listed on the label: Hydrazine hydrate	Hazardous components which must be
S phrases: 53 Avoid exposure - obtain special instructions before use.	S phrases:
28 After contact with skin, wash immediately with plenty of water.	
35 This material and its container must be disposed of in a safe way.	
45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).	
Additional advice on labelling: As an article the product does not need to be labelled in	Additional advice on labelling:



Revision no.: 6.00 Revision date: 28.05.2022

Other hazards:

Print date: 28.05.2022

D050013201

Page 2 of 9

accordance with EC-directives or respective national laws. Detector tube: No hazards deemed to be of major importance. Content: May cause cancer. May cause sensitization by skin contact. Harmful: possible risk of irreversible effects through inhalation, in contact with skin and if swallowed. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

3. Composition/information on ingredients

Mixtures

Chemical characterization:

Sealed glass tube, filled with inert granules, treated with methanol, hydrazine hydrate and further chemicals, which are not dangerous in their concentration

EC No.	Chemical name	Quantity
CAS No.	Classification	
Index No.	GHS classification	
REACH No.		
200-659-6	Methanol	3 %
67-56-1	F, T R11-23/24/25-39/23/24/25	
603-001-00-X	Flam. Liq. 2, Acute Tox. 3, Acute Tox. 3, Acute Tox. 3, STOT SE 1; H225 H331 H311 H301 H370	
206-114-9	Hydrazine hydrate	< 3 %
7803-57-8	Carc. Cat. 2, T, N R45-23/24/25-34-43-50-53	
	Acute Tox. 3, Acute Tox. 3, Acute Tox. 3, Skin Corr. 1B, Skin Sens. 1, Carc. 1B, Aquatic Acute 1, Aquatic Chronic 1; H301 H311 H331 H314 H317 H350 H400 H410	

Full text of R- and H-phrases: see section 16.

4. First aid measures

Description of first aid measures	
After inhalation:	Not applicable for intact detector tubes.
	When indicator material is spilled: Inhalation of vapours: Move
	to fresh air. Call a physician immediately.
After contact with skin:	Not applicable for intact detector tubes.
	When indicator material is spilled: Wash off immediately with
	plenty of water. Consult a physician. Cut be handled through a
	doctor.
After contact with eyes:	Not applicable for intact detector tubes.
	When indicator material is spilled: Rinse immediately with
	plenty of water, also under the eyelids. Consult an
	ophthalmologist immediately.
After ingestion:	Not applicable for intact detector tubes.
	When indicator material is spilled: Call a physician
	immediately. If conscious, drink plenty of water.



Revision no.: 6.00 Revision date: 28.05.2022

Print date: 28.05.2022

D050013201

Page 3 of 9

5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media:	The product itself does not burn. Use extinguishing measures that are appropriate to the environment.
Extinguishing media which must not be used for safety reasons:	None.
Special hazards arising from the substance or mixture:	None.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Methods and material for containment and cleaning up: Release not possible if used properly.

When indicator material is spilled: Dilute with water. Soak up the product with absorbent, non-flammable material (acid binding agent). Avoid contact of breakage of glass and indicator material. Dispose of as described in section 13.

7. Handling and storage

Precautions for safe handling Advice on safe handling: Advice on protection against fire and explosion:	See the specific Instruction for use. No special precautions required.
Conditions for safe storage, including any i	ncompatibilities
Advice on storage compatibility:	Do not store together with edibles.
Further information on storage	See the specific Instruction for use. Recommended storage
conditions:	temperature: 20°C

8. Exposure controls/personal protection

Control parameters

Exposure limits (EH40 / OSHA PEL / ACGIH TLV)

CAS No. Chemical name	Category	mg/m³	Origin
67-56-1 Methanol	TWA (8 h)	260	WEL / OSHA PEL/ ACGIH
	STEL (15 min)	325	WEL / OSHA PEL/ ACGIH

Additional advice on limit values:

Release not possible if used properly.

Exposure controls



Detector	Tube	Types	CO ₂ - 1%)
-----------------	------	-------	----------------------	---

Revision no.: 6.00 Revision date: 28.05.2022 D050013201

Protective and hygiene measures: Avoid contact with eyes or skin after breaking of the tub tips. Avoid contact of breakage of glass and indicator material. Do	4 of 9
not take up glass breads and content of the tube with bare hands. Wash hands before breaks and at the end of the workday.	
Respiratory protection: Not required.	
Hand protection: Not required. When indicator material is spilled: Protective gloves made out of: Nitrile rubber, butyl rubber	
Eye protection: Not required. When indicator material is spilled: Safety glasses	
Skin protection: Not required.	

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state: Colour: Odour:	Granules in a glass tube. white almost odorless	
pH-Value (at 20 °C):	8	Test method 50 g/l water
Changes in the physical state		
Melting point:	n.a.	
Boiling point:	n.a.	
Flash point:	n.a.	
Lower explosion limits:	n.a.	
Upper explosion limits:	n.a.	
Vapour pressure:	n.a.	
Water solubility: (at 20 °C)	low solubility	
Viscosity / dynamic:	n.a.	

10. Stability and reactivity

Reactivity: Possibility of hazardous reactions: Conditions to avoid: Hazardous decomposition products: Further information: None if handled correctly in accordance with the instructions for use. None under recommended use and storage conditions. None if handled correctly in accordance with the instructions for use. No decomposition if stored and applied as directed. After the opening of the tube: Sensitive to air (discolouration)

11. Toxicological information

Information on toxicological effects Toxicocinetics, metabolism and distribution: Acute toxicity:

Not applicable for intact detector tubes. When indicator material is spilled: No data available. Not applicable for intact detector tubes. When indicator material is spilled: No data available.



Revision no.: 6.00 Revision date: 28.05.2022

Print date: 28.05.2022

D050013201

Page 5 of 9

CAS No.	Chemical name				
	Exposure routes	Method	Dose	Species	h
67-56-1	Methanol				
	Acute oral toxicity	LD50	5628 mg/kg	rats	
	Acute dermal toxicity	LD50	15800 mg/kg	rabbit	
7803-57-8	Hydrazine hydrate				
	Acute oral toxicity	LD50	60 mg/kg	rats	
	Acute dermal toxicity	LD50	91 mg/kg	rabbit	

Irritation and corrosivity:

Not applicable for intact detector tubes. In the formation of vapours: Vapours may be irritating to eyes, nose, throat, and lungs. May cause skin irritation. Not applicable for intact detector tubes. Hydrazine hydrate: May cause sensitization by skin contact. Not applicable for intact detector tubes. Hydrazine hydrate: Carcinogenic, category: K2

Sensitizing effects:

Carcinogenic/mutagenic/toxic effects for reproduction:

12. Ecological information

Toxicity:

Not applicable for intact detector tubes. When indicator material is spilled: No data available.

CAS No.	Chemical name				
	Aquatic toxicity	Method Dos	se	Species	h
67-56-1	Methanol				
	Acute fish toxicity	LC50 15400) mg/l	Lepomis macrochirus	96
	Acute crustacea toxicity	EC50 > 100	00 mg/l	Daphnia Magna	48
7803-57-8	Hydrazine hydrate				
	Acute algae toxicity	ErC50 0,006	1 mg/l	Pseudokirchneriella subcapitata	
	Acute crustacea toxicity	EC50 0,18 n	ng/l	Daphnia	48

Persistence and degradability:

Not applicable for intact detector tubes.

When indicator material is spilled: No data available.

Bioaccumulative potential: Not applicable for intact detector tubes.

When indicator material is spilled: No data available.

Partition coefficient n-octanol/water

CAS No.	Chemical name	Log Pow
67-56-1	Methanol	-0,77
7803-57-8	Hydrazine hydrate	-3,8
Mobility in soil:	Not applicable for intact detector tubes.	

When indicator material is spilled: No data available.

Safety information for products



Detector Tube Types CO ₂ - 1% Revision no.: 6.00			
Revision date: 28.05.2022	Print date: 28.05.2022 Page 6 of		
Other adverse effects: Further information:	Not applicable for intact detector tubes. When indicator material is spilled: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. When indicator material is spilled: Should not be released into the environment. Do not flush into surface water or sanitary sewer system.		
13. Disposal considerations			
Waste treatment methods			
Recommendation Waste disposal number of waste from residues/unused products:	 150202 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; absorbents, filter materials, wiping cloths and protective clothing; absorbents, filter materials (including oil filters not otherwise specified), wiping cloths, protective clothing contaminated by dangerous substances 1) Do not dispose of used tubes carelessly, take precautions to prevent the contents from entering creeks, rain water run-off, sewers or water supplies. 2) Follow all local, state and federal laws and regulations regarding waste 3) A box of Uniphos detector tubes contain less than 0.5 grams of hazardous materials and as such are classified a small quantity exception for transportation (49 CFR 173.4) and require no special shipping consideration. 		
Recommendation Waste disposal number of contaminated packaging:	150101 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); paper and cardboard packaging		
14. Transport information			
Land transport (ADR/RID)			
UN number: UN proper shipping name:	UN3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Hydrazine hydrate)		
Transport hazard class(es): Packing group: Hazard label:	9 9		
Classification code: M7 Special Provisions: 274 335 601 Limited quantity: 5 kg			



etector Tube Types CO ₂ - 1%		D0500132
vision date: 28.05.2022	Print date: 28.05.2022	Page 7
Transport category:	3	
Hazard-no.:	90	
Tunnel restriction code:	E	
Other applicable information (land	Excepted Quantity: E1	
transport):		
Inland waterways transport		
UN number:		
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTAN N.O.S. ENVIRONMENTALLY HAZARDOUS SU	
	SOLID, N.O.S. (Hydrazine hydrate)	
Transport hazard class(es):	9	
Packing group:		
Hazard label:	9	
9		
Classification code:	М7	
Special Provisions:	274 601	
Limited quantity:	5 kg	
Other applicable information (inland	Excepted Quantity: E1	
waterways transport):		
Marine transport		
UN number:	UN3077	
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTAN N.O.S.(Hydrazinium hydroxide)	CE, SOLID,
Transport hazard class(es):	9	
Packing group:	III	
Hazard label:	9	
9		
Special Provisions:	274, 335	
Limited quantity:	5 kg	
EmS:	F-A, S-F	
Other applicable information (marine	Excepted Quantity: E1	
transport):		
Air transport		
UN/ID number:	UN3077	
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTAN N.O.S.(Hydrazinium hydroxide)	CE, SOLID,
Transport hazard class(es):	9	
Packing group:	III	
Hazard label:	9	
Allh		
~ <i>*</i>		



Revision no.: 6.00 Revision date: 28.05.2022

Print date: 28.05.2022

D050013201

Page 8 of 9

Special Provisions:	A97 A158 A179	
Limited quantity Passenger:	30 kg G	
IATA-packing instructions - Passenger:	956	
IATA-max. quantity - Passenger:	400 kg	
IATA-packing instructions - Cargo:	956	
IATA-max. quantity - Cargo:	400 kg	
Other applicable information (air	Excepted Quantity: E1	
transport):	Passenger-LQ: Y956	
Environmental hazards		
		¥2

Dangerous for the environment:

yes

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

16. Other information

Changes:	Sections which have been changed in comparison to the preceding edition: 1		
Abbreviations and acronyms:	n.a. = not applicable		
Assicillations and derenymo.	n.d. = not determined		
Full text of R-phrases referred to under	11	Highly flammable.	
sections 2 and 3:	23/24/25	Toxic by inhalation, in contact with skin and if swallowed.	
	34	Causes burns.	
	39/23/24/25	Toxic: danger of very serious irreversible effects through inhalation, in contact with skin and if swallowed.	
	43	May cause sensitization by skin contact.	
	45	May cause cancer.	
	50	Very toxic to aquatic organisms.	
	53	May cause long-term adverse effects in the aquatic environment.	
Full text of H-Statements referred to	H225	Highly flammable liquid and vapour.	
under sections 2 and 3:	H301	Toxic if swallowed.	
	H311	Toxic in contact with skin.	
	H314	Causes severe skin burns and eye damage.	
	H317	May cause an allergic skin reaction.	
	H331	Toxic if inhaled.	
	H350	May cause cancer.	
	H370	Causes damage to organs.	
	H400	Very toxic to aquatic life.	
	H410	Very toxic to aquatic life with long lasting effects.	



Detector Tube Types CO₂ - 1% Revision no.: 6.00		D050013201	
Revision date: 28.05.2022	Print date: 28.05.2022	Page 9 of 9	
Further Information:	The information is based on present levels of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights. The product is to be used exclusively for the applications named in the technical leaflet or in the processing instructions The receiver of our product is singularly responsible for adhering to existing laws and regulations.		

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)