

D050027101

Revision no.: 2.00

Revision date: 06.06.2022 Print date: 06.06.2022 Page 1 of 7

0. General notes

These products are articles according to article 3.3 of regulation (EC) no. 1907/2006 (REACh). It is not necessary to supply a Safety Data Sheet for these products. Safety Data Sheets stipulate according to Article 31 for hazardous substances and preparations, but not for articles. UNIPHOS is obliged to supply its customers with appropriate information to ensure safe handling. A special format is not required for this information.

1. Identification of the substance/mixture and of the company/undertaking

Product identifier: Detector Tube NO₂+NO separate quantification

Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture: Detector tube

Uses advised against: The product is to be used exclusively for the applications

named in the directions for use.

Details of the supplier of the safety data sheet

Company name: UNIPHOS ENVIROTRONIC PVT. LTD.

Street: Readymoney Terrace 167, Dr. Annie Besant Road, Worli

 Place:
 Mumbai 400018, India

 Telephone:
 +91 22 61233500

 Telefax:
 +91 22 24978119

 Emergency telephone:
 +91 22 61233500

Further Information: Apply Safety data sheet to the following products:

Part-No. Product name

D7086863 NO₂+NO separate quantification, Pkg of 5

2. Hazards identification

Classification of the substance or

mixture:

Label elements

Hazardous components which must be

listed on the label:

S phrases:

As an article the product does not need to be labelled in accordance with EC-directives or respective national laws.

Chromium trioxide

02 Keep out of the reach of children.

26 In case of contact with eyes, rinse immediately

with plenty of water and seek medical advice.

28 After contact with skin, wash immediately with

plenty of water.

45 In case of accident or if you feel unwell, seek

medical advice immediately (show the label

where possible).

46 If swallowed, seek medical advice immediately

and show this container or label.



D050027101

Revision no.: 2.00

Revision date: 06.06.2022 Print date: 06.06.2022 Page 2 of 7

Additional advice on labelling: As an article the product does not need to be labelled in

accordance with EC-directives or respective national laws.

Other hazards:

Detector tube: No hazards deemed to be of major importance.

Content: May cause cancer. May cause heritable genetic damage. Harmful by inhalation. Causes severe burns. Harmful to aquatic organisms, may cause long-term adverse

effects in the aquatic environment.

3. Composition/information on ingredients

Mixtures

Chemical characterization: Sealed glass tube, filled with inert granules, treated with

chromiumtrioxide, 4,4'-bi-o-toluidine and further chemicals,

which are not dangerous in their concentration

Hazardous components

Chemical name	Quantity
Classification	
GHS classification	
Chromium trioxide	0,1 - 0,5 %
O, Carc. Cat. 1, Muta. Cat. 2, Repr. Cat. 3, T+, T, C, N R9-45-46-62-26-24/25-48/23-35-42/43-50-53	
Ox. Sol. 1, Carc. 1A, Muta. 1B, Repr. 2, Acute Tox. 2, Acute Tox. 3, Acute Tox. 3, STOT RE 1, Skin Corr. 1A, Resp. Sens. 1, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 1; H271 H350 H340 H361f H330 H311 H301 H372 H314 H334 H317 H400 H410	
4,4'-Bi-o-toluidine	< 0,1 %
Carc. Cat. 2, Xn, N R45-22-51-53	
Carc. 1B, Acute Tox. 4, Aquatic Chronic 2; H350 H302 H411	
	Classification GHS classification Chromium trioxide O, Carc. Cat. 1, Muta. Cat. 2, Repr. Cat. 3, T+, T, C, N R9-45-46-62-26-24/25-48/23-35-42/43-50-53 Ox. Sol. 1, Carc. 1A, Muta. 1B, Repr. 2, Acute Tox. 2, Acute Tox. 3, Acute Tox. 3, STOT RE 1, Skin Corr. 1A, Resp. Sens. 1, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 1; H271 H350 H340 H361f H330 H311 H301 H372 H314 H334 H317 H400 H410 4,4'-Bi-o-toluidine Carc. Cat. 2, Xn, N R45-22-51-53

Full text of R- and H-phrases: see section 16.

4. First aid measures

Description of first aid measures

After inhalation: Not applicable for intact detector tubes.

When indicator material is spilled: Inhalation of vapours: Move

to fresh air. If symptoms persist, call a physician.

After contact with skin: Not applicable for intact detector tubes.

When indicator material is spilled: Wash off immediately with plenty of water. Consult a physician. Cut be handled through a

doctor.

After contact with eyes: Not applicable for intact detector tubes.

When indicator material is spilled: Rinse immediately with plenty of water, also under the eyelids. Consult an

ophthalmologist immediately.

GB - EN



D050027101

Revision no.: 2.00

Revision date: 06.06.2022 Print date: 06.06.2022 Page 3 of 7

After ingestion: Not applicable for intact detector tubes.

When indicator material is spilled: Call a physician immediately. If conscious, drink plenty of water.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media: The product itself does not burn. Use extinguishing measures

that are appropriate to the environment.

Extinguishing media which must not be

used for safety reasons:

Special hazards arising from the

substance or mixture:

None.

None.

6. Accidental release measures

Personal precautions, protective

equipment and emergency procedures: Methods and material for containment

and cleaning up:

Release not possible if used properly.

When indicator material is spilled: Dilute with water. Soak up the product with absorbent, non-flammable material (acid binding agent). Avoid contact of breakage of glass and indicator material. Dispose of as described in section 13.

7. Handling and storage

Precautions for safe handling

Advice on safe handling:
Advice on protection against fire and

explosion:

See the specific Instruction for use. No special precautions required.

Conditions for safe storage, including any incompatibilities

Advice on storage compatibility: Do not store together with edibles.

Further information on storage See the specific Instruction for use. Recommended storage

conditions: temperature: 20°C

8. Exposure controls/personal protection

Control parameters

Exposure limits (EH40 / OSHA PEL / ACGIH TLV)

CAS No.	Chemical name	Category	mg/m³	Origin
	- Chromium (VI) compounds (as Cr)	TWA (8 h) STEL (15 min)	0.05	WEL / OSHA PEL/ ACGIH WEL / OSHA PEL/ ACGIH



D050027101

Revision no.: 2.00

Revision date: 06.06.2022 Print date: 06.06.2022 Page 4 of 7

Additional advice on limit values: Release not possible if used properly.

Exposure controls

Protective and hygiene measures: Avoid contact with eyes or skin after breaking of the tub tips.

Avoid contact of breakage of glass and indicator material. Do not take up glass breads and content of the tube with bare hands. Wash hands before breaks and at the end of the

workdav.

Respiratory protection: Not required. **Hand protection:** Not required.

When indicator material is spilled: Protective gloves made out

of: Nitrile rubber

Eye protection: Not required.

When indicator material is spilled: Safety glasses

Skin protection: Not required.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state:Granules in a glass tube.Colour:orange and grey-brown

Odour: almost odorless

PH-Value (at 20 °C): 5 50 g/l water

Changes in the physical state

 Melting point:
 n.a.

 Boiling point:
 n.a.

 Flash point:
 n.a.

 Lower explosion limits:
 n.a.

 Upper explosion limits:
 n.a.

 Vapour pressure:
 n.a.

Water solubility: low solubility OECD 116

(at 20 °C)

Viscosity / dynamic: n.a.

10. Stability and reactivity

None if handled correctly in accordance with the instructions for use.

Reactivity: None under recommended use and storage conditions.

Possibility of hazardous reactions:None if handled correctly in accordance with the instructions for use.

Conditions to avoid: None if handled correctly

Hazardous decomposition products: No decomposition if stored and applied as directed.

Further information: After the opening of the tube: Sensitive to air (discolouration)

11. Toxicological information

Information on toxicological effects

Toxicocinetics, metabolism andNot applicable for intact detector tubes.

distribution: When indicator material is spilled: No data available.



D050027101

Revision no.: 2.00

Revision date: 06.06.2022 Print date: 06.06.2022 Page 5 of 7

Acute toxicity: Not applicable for intact detector tubes.

When indicator material is spilled: No data available.

CAS No.	Chemical name				
	Exposure routes	Method	Dose	Species	h
1333-82-0	Chromium trioxide				
	Acute oral toxicity	LD50	50 mg/kg	rats	
	Acute dermal toxicity	LD50	55 mg/kg	rats	
119-93-7	4,4'-Bi-o-toluidine				
	Acute oral toxicity	LD50	404 mg/kg	rats	

Irritation and corrosivity: In the formation of vapours: Vapours may be irritating to eyes,

nose, throat, and lungs. May cause skin irritation.

Ingestion causes burns of the upper digestive and respiratory

tracts.

Severe effects after repeated or

prolonged exposure:

Not applicable for intact detector tubes.

Chromium trioxide: May cause sensitiza

Chromium trioxide: May cause sensitization by inhalation and

skin contact.

Carcinogenic/mutagenic/toxic effects

for reproduction:

Not applicable for intact detector tubes.

Chromium trioxide: Carcinogenic, category: K1. Mutagenic,

category: M2. May impair fertility, category: RF3. 4,4'-Bi-o-toluidine: Carcinogenic, category: K2.

12. Ecological information

Toxicity: Not applicable for intact detector tubes.

When indicator material is spilled: No data available.

CAS No.	Chemical name			
	Aquatic toxicity	Method Dose	Species	h
1333-82-0	Chromium trioxide			
	Acute crustacea toxicity	EC50 0,162 mg/l	Daphnia Magna	48

Persistence and degradability: Not applicable for intact detector tubes.

When indicator material is spilled: No data available.

Bioaccumulative potential: Not applicable for intact detector tubes.

When indicator material is spilled: No data available.

Mobility in soil: Not applicable for intact detector tubes.

When indicator material is spilled: No data available.

Other adverse effects: Not applicable for intact detector tubes.

When indicator material is spilled: Harmful to aquatic organisms, may cause long-term adverse effects in the

aquatic environment.



D050027101

Revision no.: 2.00

Revision date: 06.06.2022 Print date: 06.06.2022 Page 6 of 7

Further information:

When indicator material is spilled: Should not be released into the environment. Do not flush into surface water or sanitary sewer system.

13. Disposal considerations

Waste treatment methods

Recommendation Waste disposal number of waste from residues/unused products:

150202

WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; absorbents, filter materials, wiping cloths and protective clothing; absorbents, filter materials (including oil filters not otherwise specified), wiping cloths, protective clothing contaminated by dangerous substances

- Do not dispose of used tubes carelessly, take precautions to prevent the contents from entering creeks, rain water run-off, sewers or water supplies.
- 2) Follow all local, state and federal laws and regulations regarding waste
- 3) A box of Uniphos detector tubes contain less than 0.5 grams of hazardous materials and as such are classified a small quantity exception for transportation (49 CFR 173.4) and require no special shipping consideration.

Recommendation Waste disposal number of contaminated packaging:

150101

WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); paper and cardboard packaging

14. Transport information

Land transport (ADR/RID)

Other applicable information (land transport):

Not classified as dangerous regarding transport regulations.

Inland waterways transport

Other applicable information (inland waterways transport):

Not classified as dangerous regarding transport regulations.

Marine transport

Other applicable information (marine

transport):

Not classified as dangerous regarding transport regulations.

Air transport

Other applicable information (air transport):

Not classified as dangerous regarding transport regulations.



D050027101

Revision no.: 2.00

Revision date: 06.06.2022 Print date: 06.06.2022 Page 7 of 7

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

16. Other information

Changes:	Sections which have been changed in comparison to the

preceding edition: 1 n.a. = not applicable

Abbreviations and acronyms:

n.a. = not applicable

n.d. = not determined

Full text of R-phrases referred to under	09	Explosive when mixed with combustible material.
sections 2 and 3:	22	Harmful if swallowed.

24/25 Toxic in contact with skin and if swallowed.

Very toxic by inhalation.
Causes severe burns.

42/43 May cause sensitization by inhalation and skin

contact.

45 May cause cancer.

46 May cause heritable genetic damage.

Toxic: danger of serious damage to health by prolonged exposure through inhalation.

50 Very toxic to aquatic organisms.

51 Toxic to aquatic organisms.

53 May cause long-term adverse effects in the

aquatic environment.

62 Possible risk of impaired fertility.

Full text of H-Statements referred to H271 May cause fire or explosion; strong oxidiser. under sections 2 and 3: H301 Toxic if swallowed.

H301 Toxic if swallowed.
H302 Harmful if swallowed.
H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H330 Fatal if inhaled.

H334 May cause allergy or asthma symptoms or

breathing difficulties if inhaled.

H340 May cause genetic defects.

H350 May cause cancer.

H361f Suspected of damaging fertility.

H372 Causes damage to organs through prolonged or

repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.H411 Toxic to aquatic life with long lasting effects.

Further Information: The information is based on present levels of our knowledge.

It does not, however, give assurances of product properties

and establishes no contract legal rights.

The product is to be used exclusively for the applications named in the technical leaflet or in the processing instructions. The receiver of our product is singularly responsible for

adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)