

Detector Tube Oxygen

U070018600

Revision No: 2.00

Revision date: 15.06.2022

Print date: 15.06.2022

Page 1 of 6

1. Identification of the substance/mixture and of the company/undertaking

Product identifier: Detector Tube Oxygen
Relevant identified uses of the substance or mixture and uses advised against
Uses advised against: The product is to be used exclusively for the applications named in the directions for use.

Details of the supplier of the safety data sheet

Company name: UNIPHOS ENVIROTRONIC PVT. LTD.
Street: Readymoney Terrace 167, Dr. Annie Besant Road, Worli
Place: Mumbai 400018, India
Telephone: +91 22 61233500
Telefax: +91 22 24978119
Emergency telephone: +91 22 61233500
Email Address: gasdetection@uniphos-envirotronic.com
Website: <http://www.uniphos-she.com>

Further Information:

Apply Safety data sheet to the following products:

Tube Code	US Code	Tube Name	Range
CF000116	SOX-9M	Oxygen	3 - 24 %

2. Hazards identification

Classification of the substance or mixture:

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)
Skin corrosion (Category 1B), H314
Serious eye damage (Category 1), H318
Specific target organ toxicity - single exposure (Category 3),
Respiratory system, H335
For the full text of the above mentioned H-Statements see Section 16.

GHS Label elements, including precautionary statements

Pictogram :



Signal word Danger

Hazard statement(s)

H314 Causes severe skin burns and eye damage.
H318 Causes serious eye damage.
H335 May cause respiratory irritation.

Precautionary statement(s)

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

Detector Tube Oxygen

U070018600

Revision No: 2.00

Revision date: 15.06.2022

Print date: 15.06.2022

Page 2 of 6

3. Composition/information on ingredients

Mixtures

Chemical characterization: Sealed glass tube, filled with inert granules, treated with Titanium (III) chloride (TiCl₃).

Hazardous components

EC No	Chemical name	Quantity
CAS No	Classification	
Index No	GHS classification	
REACH No		
231-728-9	Titanium (III) chloride (TiCl ₃)	10 - 12 %
7705-07-9		
	Pyr. Sol. 1; Skin Corr. 1B; Eye; Dam. 1; H250, H314 .	

Full text of H-phrases: see section 16.

4. First aid measures

Description of first aid measures

After inhalation: Not applicable for intact detector tubes.
When indicator material is spilled: Call a physician immediately.

After contact with skin: Not applicable for intact detector tubes.
When indicator material is spilled: Wash off immediately with plenty of water.

After contact with eyes: Not applicable for intact detector tubes.
When indicator material is spilled: Rinse immediately with plenty of water, also under the eyelids. Consult an ophthalmologist immediately.

After ingestion: Not applicable for intact detector tubes.
When indicator material is spilled: Call a physician immediately.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media: The product itself does not burn. Use extinguishing measures that are appropriate to the environment.

Extinguishing media which must not be used for safety reasons: None.

Special hazards arising from the substance or mixture: None.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Release not possible if used properly.

Methods and material for containment and cleaning up: When indicator material is spilled: Dilute with water. Soak up the product with absorbent, non-flammable material. Avoid contact of breakage of glass and indicator material. Dispose of as described in chapter 13.

Detector Tube Oxygen

U070018600

Revision No: 2.00

Revision date: 15.06.2022

Print date: 15.06.2022

Page 3 of 6

7. Handling and storage

Precautions for safe handling

Advice on safe handling:

See the specific Instruction for use.

Advice on protection against fire and explosion:

No special precautions required.

Conditions for safe storage, including any incompatibilities

Advice on storage compatibility:

Do not store together with edibles.

Further information on storage conditions:

Store in cool place. Recommended storage temperature: 20°C

8. Exposure controls/personal protection

Control parameters

Additional advice on limit values:

Release not possible if used properly.

Exposure controls

Protective and hygiene measures:

Avoid contact with eyes or skin after breaking of the tub tips. Avoid contact of breakage of glass and indicator material. Do not take up glass breakage and content of the tube with bare hands. Wash hands before breaks and at the end of the workday.

Respiratory protection:

Not required.

Hand protection:

Not required.

When indicator material is spilled: Use Protective gloves made out of: Nitrile rubber, butyl rubber

Eye protection:

Not required.

When indicator material is spilled: Use Safety glasses

Skin protection:

Not required.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state:

Granules in a glass tube.

Colour:

Dark violet

Odour:

pungent

pH-Value (at 20 °C):

2

Test method

50 g/l water

Changes in the physical state

Melting point:

n.a.

Boiling point:

n.a.

Flash point:

n.a.

Lower explosion limits:

n.a.

Upper explosion limits:

n.a.

Vapour pressure:

n.a.

Detector Tube Oxygen

U070018600

Revision No: 2.00

Revision date: 15.06.2022

Print date: 15.06.2022

Page 4 of 6

Water solubility:
(at 20 °C)
Viscosity / dynamic:

low solubility
n.a.

10. Stability and reactivity

Reactivity:	None if handled correctly in accordance with the instructions for use.
Chemical stability:	Stable under proper storage and handling.
Possibility of hazardous reactions:	None if handled correctly in accordance with the instructions for use.
Conditions to avoid:	None if handled correctly in accordance with the instructions for use.
Incompatible materials:	None if handled correctly in accordance with the instructions for use.
Hazardous decomposition products:	No decomposition if stored and applied as directed.
Further information:	After the opening of the tube: sensitive to water

11. Toxicological information

Information on toxicological effects	
Toxicokinetics, metabolism and distribution:	No data available.
Acute toxicity:	When indicator material is spilled: No data available.

Irritation and corrosivity:	Not applicable for intact detector tubes. When indicator material is spilled: Irritating to eyes, respiratory system and skin.
Sensitising effects:	No Data available
Carcinogenic/mutagenic/toxic effects for reproduction:	No Data available

12. Ecological information

Toxicity:	When indicator material is spilled: No data available.
Persistence and degradability:	No data available.
Bio-accumulative potential:	No data available.
Mobility in soil:	No data available.

Detector Tube Oxygen

U070018600

Revision No: 2.00

Revision date: 15.06.2022

Print date: 15.06.2022

Page 5 of 6

Results of PBT and vPvB assessment:

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Other adverse effects:

No data available.

Further information:

When indicator material is spilled: Should not be released into the environment. Do not flush into surface water or sanitary sewer system.

13. Disposal considerations

Waste treatment methods

Recommendation Waste disposal number of waste from residues/unused products:

150202
WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; absorbents, filter materials, wiping cloths and protective clothing; absorbents, filter materials (including oil filters not otherwise specified), wiping cloths, protective clothing contaminated by dangerous substances

- 1) Tubes no longer generating smoke require no special treatment prior to disposal.
- 2) Do not dispose of used smoke tubes until they no longer produce smoke otherwise place the tubes in water with baking soda to neutralize any acidity of the reagent.
- 3) Take precautions to prevent the contents from entering creeks, rain water run-off, sewers or water supplies.
- 4) Follow all local, state and federal laws and regulations regarding waste
- 5) A box of Uniphos detector tubes contain less than 0.5 grams of hazardous materials and as such are classified a small quantity exception for transportation (49 CFR 173.4) and require no special shipping consideration.

Recommendation Waste disposal number of contaminated packaging:

150101
WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); paper and cardboard packaging

Detector Tube Oxygen

U070018600

Revision No: 2.00

Revision date: 15.06.2022

Print date: 15.06.2022

Page 6 of 6

14. Transport information

Land transport (ADR/RID)

Other applicable information (land transport):

Not classified as dangerous regarding transport regulations.

Inland waterways transport

Other applicable information (inland waterways transport):

Not classified as dangerous regarding transport regulations.

Marine transport

Other applicable information (marine transport):

Not classified as dangerous regarding transport regulations.

Air transport

Other applicable information (air transport):

Not classified as dangerous regarding transport regulations.

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

16. Other information

Changes:

Sections which have been changed in comparison to the preceding edition: 1.

Abbreviations and acronyms:

n.a. = not applicable

Full text of H-Statements referred to under sections 2 and 3:

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

Further Information:

H335 May cause respiratory irritation.

The information is based on present levels of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

The product is to be used exclusively for the applications named in the technical leaflet or in the processing instructions. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)
